

# helo

REWARD YOURSELF

*Your Sauna for Life*  
**finnleo**  
*Sauna & Steam*

Phone: (03) 9587 4494

or 0418 396 042

Web: [www.finnleo.com.au](http://www.finnleo.com.au)

## PRODUCT CATALOGUE



[www.helosaua.com](http://www.helosaua.com)



# the original finnish sauna experience

Helo Ltd has its roots deep in the authentic Finnish sauna tradition with its natural and healthy lifestyle. Helo was established in 1919 – as Karjalan Sähkö in the city of Viipuri – and our first prototype electric sauna heater was built in 1949.

Over the years, our product range has evolved to include a complete selection of sauna heaters for both private and commercial use. Today, you can easily find a Helo stove that feels just right for you, no matter what the size, shape or interior design style of your sauna is. Moreover, the same applies to your preferences regarding bathing temperature and climate – Helo is always there for you.

Our quality and craftsmanship express our deep respect to the Finnish sauna tradition. We warmly welcome you to experience the real sauna with us.



# content

## **electric heaters.....6**

FONDA .....	8
FONDA DUO .....	8
CAVA .....	9
FUSION .....	9
SAUNATONTTU .....	10
RONDO .....	10
TAIKA .....	11
ROCHER .....	11
PIKKUTONTTU .....	12
HIMALAYA .....	12
RING WALL .....	14
ROXX .....	14
RINGO .....	15
HAVANNA .....	15
MINI SA .....	16
JUNIOR .....	16
CUP .....	16
VIENNA .....	17
SOFTHOT .....	17
KLIMA VITA .....	17

## **professional heaters.....18**

LAAVA .....	20
MAGMA .....	20
SKLE .....	21
SKLA .....	21
OCTA .....	22
SEIDANKIVI .....	22
SAGA ELECTRO .....	23

## **control units .....24**

T1 & T2 .....	24
EC 50 .....	24
EASY .....	25
MIDI .....	25
DIGI 1 .....	25
DIGI II .....	25

## **technical specifications.....26**



# electric heaters

Quality craftsmanship is the signature of genuine Helo electric heaters. A fusion of tradition, modern technology, they offer trouble-free performance in a range of aesthetically striking designs.

Choose from a wide range of models; there is an option for every taste and sauna room, each offering a unique expression of the genuine sauna experience.







# ■ FONDA

## Better comfort by design

The Fonda traditional series is a smart option for fans of Finnish sauna thanks to its large 20 kg rock compartment and powerful output.

Fonda delivers wave after wave of sharp and intense heat to every corner of the room. Choose from two convenient, equally attractive models: Fonda DET with programming and control from either the T1 touchpad or the EC50 control panel, or Fonda ST with integrated control panel.

Fonda is normally wall mounted, but can also be installed to the floor with an optional set of legs for mounting.



**QUICK FACTS** | POWER: 4.4 - 8.0 kW | SAUNA SIZE: 4 - 12 m<sup>3</sup> | STONES: 20 kg | W448 x H665 x D364 mm

---

# ■ FONDA DUO

## The caress of steam at the touch of a button

Sometimes you prefer the traditional caress of a soothing heat. Other times the gentle cleansing of ultra soft steam. Now you can have both.

Fonda Duo gives you the luxury of choosing either from the same compact, eye-catching unit. As an added treat, you can pamper yourself by infusing steam with aromas that provide a variety of proven healthful effects — simply add a few drops of Helo Natural Essential Oils to the integrated aroma tray.

The heater is equipped with a separate T2 digital control unit with built-in proximity sensor. Fonda Duo is normally wall mounted, but can also be installed to the floor with an optional set of legs for mounting.



**QUICK FACTS** | POWER: 4.4 - 8.0 kW | SAUNA SIZE: 4 - 12 m<sup>3</sup> | STONES: 20 kg | W448 x H665 x D364 mm



# ■ CAVA

## A climate of calm

With its irresistibly smooth roundness, Cava brings calming harmony to your sauna's atmosphere. Flawless soap stone faces on top and at the front absorb, store and release the heat from the 30 kg of vulcanite stones behind them. This double step ensures evenly perfect warmth and moisture.

Cava's "up and out" heat distribution system quickly sets the perfect climate for a genuine sauna experience. Because natural materials make up so much of its surface, Cava integrates elegantly with its surroundings, letting you take even more pleasure in the calm of the setting. With its traditional materials and feel and advanced heat distribution concept,



**QUICK FACTS** | POWER: 6.0 - 9.0 kW | SAUNA SIZE: 5 - 13 m<sup>3</sup> | STONES: 30 kg | W490 x H830 x D280 mm

---

# ■ FUSION

## Easy does it

Sometimes, you're in the mood for the traditional intensity of dry sauna. Other times, the cleansing touch of soft, billowy steam. Fusion is the heater that lets you have both.

With Fusion, deciding which sauna climate you want is the only hard part. Built-in electronic temperature and humidity sensors automatically correct and adjust to provide steady levels throughout your sauna. You can even choose the option of connecting your Fusion heater to a water line, ensuring the water tank refills automatically. Once you set the temperature and humidity, Fusion automatically takes care of the rest. With Fusion, you get the genuine sauna experience, exactly as you prefer it. Fusion comes with a no-fuss control which among other things let you set automatic temperature, humidity and sauna duration.



**QUICK FACTS** | POWER: 6.0 - 9.0 kW | SAUNA SIZE: 5 - 13 m<sup>3</sup> | STONES: 23 kg | W415 x H790 x D415 mm

# ■ SAUNATONTTU

Ready when you are

A collaboration between Helo and world-renowned designer Ristomatti Ratia, Saunatonnttu is the ultimate sauna heater.

Incorporating several smart features and superb European design, Saunatonnttu is truly the “best sauna heater in the world”, bar none. Its secret is in the constant heat retention by the large quantity of rocks within the super-insulated shell. This means soft, perfect heat is always available, letting you enjoy a sauna without preheating.

Its unique conical form and cool-touch top performing insulation system means Saunatonnttu can be positioned almost anywhere in the sauna — giving you more freedom in planning. 100 kg rock capacity stores and releases moist, soft and rich steam and heat evenly, ensuring genuine pleasure and relaxation with every session.



**QUICK FACTS** | POWER: 3.4 - 8.0 kW | SAUNA SIZE: 3 - 17 m<sup>3</sup> | STONES: 100 kg | W500 x H1090 x D500 mm

---

# ■ RONDO

Convenient luxury

Rondo is a member of our heat-accumulation heater range. Its specially insulated shell stores heat generated in the 90 kg of rocks, making your sauna ever-ready for genuine relaxation.

Rondo's unique design not only ensures the stable and controlled release of heat, it maximises your convenience — making your sauna session even more of a pleasure. Its optimised insulation shell retains heat effectively, letting you enjoy saunas without pre-heating, and because of its cool-touch exterior, makes it easy to position anywhere in the sauna with minimal safety distances.

Its striking barrel shape makes an eye-catching centrepiece for your sauna, and radiates gentle, luxuriously even steam and heat in every direction. As a special added touch, its patented swivel lid gives you access to the stones in any position, making it even easier to regulate your ideal temperature even while seated!



**QUICK FACTS** | POWER: 4.5 - 9.6 kW | SAUNA SIZE: 5 - 18 m<sup>3</sup> | STONES: 90 kg | W500 x H860 x D500 mm

# ■ TAIKA

Pure magic!

Interested in conjuring up a unique-looking sauna that stands out from the crowd? The new Taika\* is the perfect addition to your stylish sauna cabin, giving it a magical touch and turning an ordinary experience into something enchanting.

The work of top Finnish designer Ristomatti Ratia, this sauna heater was inspired by the look of a witch's pitch-black cauldron. The brew inside the cauldron consists of 65 kilos of sauna stones. Just add a sprinkling of water and enjoy the consistent and pleasantly soft steam emerging from the depths. The Taika heater is floor mounted. It is 77 cm tall and has an impressive diameter of 68 cm. To get the most out of this sauna heater - a design classic of the future - the sauna cabin should be fairly spacious.

*\* Taika is the Finnish word for magic*



**QUICK FACTS** | POWER: 8.0 - 12.0 kW | SAUNA SIZE: 8 - 18 m<sup>3</sup> | STONES: 65 kg | W680 x H770 x D680 mm

---

# ■ ROCHER

100 kg of pure comfort

Our high capacity Rocher sauna heater really makes a statement. Holding up to 100 kg of genuine Finnish sauna stones, Rocher radiates soft, even heat from top to base.

Despite its handsome open basket design, Rocher can be installed in a corner, along a side wall or in the middle of the sauna. For an added design touch, you can also sink Rocher into a lower bench and fit it with a glass, soapstone or chrome, either of which can be backlit to stunning effect.

A ladle of water splashed on its 100 kg of heating stones, and Rocher responds with a purity and soft intensity that is impossible to resist. Its brushed steel brazier shell puts the stones in relief for an added dimension of pleasing genuineness.



**QUICK FACTS** | POWER: 6.8 - 10.5 kW | SAUNA SIZE: 5 - 15 m<sup>3</sup> | STONES: 100 kg | W425 x H1130 x D425 mm

# ■ PIKKUTONTTU

## Form meets function

Helo Pikkutonttu, a member of the Tonttu series, designed by renowned Finnish designer, Ristomatti Ratia, harmoniously combines form and function. The low surface temperature of the Helo Pikkutonttu makes it safe to use and the small safety distances give new possibilities for designing the sauna interior.

Shaped exclusively for corner fittings, Pikkutonttu's stylised shell is insulated to keep its surface cool, protecting against skin burns. At the same time, its 80 kg rock mass assures incomparably luxurious billows of soft heat and steam. The super-insulated shell keeps heat-up time similar to a traditional heater and the huge rock mass provides luxurious soft heat and soft steam.



**QUICK FACTS** | POWER: 4.5 - 9.0 kW | SAUNA SIZE: 3 - 14 m<sup>3</sup> | STONES: 80 kg | W460 x H990 x D460 mm

# ■ HIMALAYA

**NEW!**

## Taking the sauna to new heights

Himalaya – the name of the legendary mountain range means “home of the snow”. Like its namesake, the secret of Helo’s Himalaya also lies in the natural water cycle. The new sauna heater conceals a water container featuring ingenious BWT technology, which humidifies the sauna cabin while the heater is warming the room. So when you climb up onto the benches, the air is already pleasantly humid and you can feel the rich warmth on your skin.

With Himalaya, even milder sauna temperatures of just 65-70 degrees Celsius are highly enjoyable and relaxing. Children enjoy it, too. And if you want, you can increase the sauna temperature – or simply throw water on the sauna stones for more warmth.

The Himalaya can be installed on the floor next to a wall or you can install it onto benches using a glass, soapstone or steel fitting collar.

Helo Himalaya is digitally controlled using Helo’s new Trend controller.



**QUICK FACTS** | POWER: 6.8 - 10.5 kW | SAUNA SIZE: 5 - 15 m<sup>3</sup> | STONES: 100 kg | W330 x H1020 x D330 mm





# ■ RING WALL

Small is beautiful... and practical

The Ring Wall is an impressive natural stone heater, well suited for family-sized or even small residential saunas.

Despite its large stone capacity (37 kg) Ring Wall is installed to the wall and is therefore a real space-saver. Ring Wall is an excellent choice for those who appreciate practicality, classy design and the soft pleasant steam of a natural stone heater. This heater both delivers the benefits, and only takes up less than a half square meter of floor space – and that's including safety clearances! Ring Wall heaters are suitable for saunas with a capacity of 4 – 13 m<sup>3</sup> and with a minimum height of 190 cm.

There are several controller options: Easy, Midi, Digi I and Digi II. Ring Wall is also available in a special model, STJ, with a built-in manual timer and thermostat.



**QUICK FACTS** | POWER: 4.5 - 8.0 kW | SAUNA SIZE: 4 - 13 m<sup>3</sup> | STONES: 37 kg | W445 x H525 x D335 mm

---

# ■ ROXX

Full steam ahead

Soft steam, beautiful design. Roxx unites modern industrial design with a large amount of natural stone.

This impressive brushed steel design heater produces enjoyable soft-heated steam or löyly. Heat is stored efficiently in the stones, making Roxx a favorite for löyly lovers. When water is thrown onto the nearly 40 kilos of stones, it produces pleasant and smoothly soft steam.



**QUICK FACTS** | POWER: 6.0 - 9.0 kW | SAUNA SIZE: 5 - 13 m<sup>3</sup> | STONES: 38 kg | W490 x H830 x D280 mm

# ■ RINGO

## Three's a charm

The Ringo is a great-looking new sauna heater from Helo. It is high in quality yet sensibly priced. The Ringo heaters are designed for true sauna lovers.

There are three stylishly different models in the Helo Ringo collection. Choose between the elegant, standard Ringo, the Ringo Vario with its special detachable panels and the eye-catching Ringo Robust.

The Ringo is easy to install and a pleasure to use. It is a floor-standing heater with adjustable feet to ensure it stands level. A wall or bench fixing is then attached to ensure stability. The base panel incorporates the heater's clear and easy-to-use controls. The operation of the heater is controlled via a thermostat and a 12-hour timer, which includes a 9-hour pre-selection and a heating time of 0-3 hours.



**QUICK FACTS** | POWER: 6.0 - 8.0 kW | SAUNA SIZE: 5 - 13 m<sup>3</sup> | STONES: 70 kg | Ø365 - 405 x H750 - 755 mm

# ■ HAVANNA

**NEW!**

## A brand new sauna treat, fine-tuned for you

The new Helo Havanna is an innovative heater designed for residential and apartment saunas. One of its unique features is the three-level rock grate, adjustable to fit 20, 28 or 35 kg of sauna stones. A smaller quantity of rocks heats rapidly and produces nice crisp steam; a larger mass will caress you with soft, well-rounded steam. With Havanna you don't merely acquire a stove, you get a steam treat tailored to your fancy.

Havanna has a built-in thermostat and a timer with 8 hours pre-heating time and 0-4 hours of running time. Both controls are clear, easy to use and easily accessible high up on the side panel. When installing, you can position the controls either on the right or left side without dismantling the heater.

The heater is wall mounted, for thrifty use of sauna room space, but can also be mounted to the floor with an optional floor stand. A handy dust collector installed beneath the heater is also a clever option to your Havanna stove.



**QUICK FACTS** | POWER: 4.5 - 9.0 kW | SAUNA SIZE: 3 - 13 m<sup>3</sup> | STONES: 20, 28 or 35 kg | W475 x H580 x D300 mm

## ■ MINI SA

Mini SA is purpose-designed for dependable, everyday sauna use. Yet Mini SA also holds a surprisingly high quantity of rocks (10 kg) for a heater in its size and class — offering genuinely true sauna pleasure. The built in timer and thermostat also make this compact heater easy to use. Perfect heater for saunas sized from 2 – 4 m<sup>3</sup>.



**QUICK FACTS** | POWER: 3.0 kW | SAUNA SIZE: 2 - 4 m<sup>3</sup> | STONES: 10 kg | W370 x H370 x D200 mm

---

## ■ JUNIOR

The Junior is a modern, slimline sauna heater for small saunas. The digital control panel is installed outside the sauna room and is easy to use. Junior's rock compartment takes 10 kg rocks, which ensures a good sauna bath. Colour is chrome. Junior is delivered with its own Digi RA 9 control unit. Digi RA 9 has 0 – 6 hours heating time, factory setting is 2 hours. Temperature can be adjusted between 50 – 123 °C, factory setting is 80 °C. Flush mounting, outside the sauna room.



**QUICK FACTS** | POWER: 3.0 kW | SAUNA SIZE: 2 - 4 m<sup>3</sup> | STONES: 10 kg | W290 x H630 x D200 mm

---

## ■ CUP

Reliable and safe Cup sauna heaters are an excellent choice for traditional Finnish type sauna. These compact wall mounted heaters are designed for domestic small and mid-size sauna rooms. They are easy to assemble and easy to use with built-in timer and thermostat or with separate control unit. With the timer you can pre-select the time when you want the heater to be turned on, max. 9 hours beforehand. The running time is max 3 hours.



**QUICK FACTS** | POWER: 3.0 - 9.0 kW | SAUNA SIZE: 2 - 14 m<sup>3</sup> | STONES: 15 - 23 kg | W410 x H580 x D280 - 300 mm



## ■ VIENNA

NEW!

The new Helo Vienna is designed for modern home saunas. The wall-mounted stove is easy to install and pleasant to use. You also get a choice of colors (aqua blue, black and cool grey) to match the design and ambience of your sauna room.

The amount of sauna rocks is 12 or 20 kg dependant on heater power. In the 6 kW model you can fine-tune the size of the stone compartment to your liking, for 12 or 20 kg of sauna stones. A smaller quantity of rocks will heat rapidly whereas a larger mass will caress you with soft, well-rounded steam. The heater has a built-in thermostat and a timer with 9 hours pre-heating time and 0-3 hours of running time.



**QUICK FACTS** | POWER: 4.5 - 8.0 kW | SAUNA SIZE: 3 - 12 m<sup>3</sup> | STONES: 12 or 20 kg | W410 x H615 x D280 mm

## ■ SOFTHOT

Softhot heater provides bathers with modern design and the possibility to adapt the heater to bathing preferences. The rock compartment is adjustable from 20 to 35 kgs of rock. A small quantity of rocks heats up quickly to produce hot bathing atmosphere, on the other hand a large quantity of rocks results in soft, well-rounded steam. The controls are handy located on the side of the heater. Softhot ST model is with built-in timer (8 hours pre heating and 4 hours running time) and thermostat. The D model can be used with traditional type control units.



**QUICK FACTS** | POWER: 4.5 - 9.0 kW | SAUNA SIZE: 3 - 13 m<sup>3</sup> | STONES: 20 - 35 kg | W475 x H590 x D300 mm

## ■ KLIMA VITA

The Klima Vita is a basic combination heater with simple digital control unit for controlling temperature, time and humidity in a sauna. Available with manually filled water tank.



**QUICK FACTS** | POWER: 6.0 - 9.0 kW | SAUNA SIZE: 5 - 13 m<sup>3</sup> | STONES: 23 kg | W425 x H595 x D375 mm







# professional heaters

Happy guests come back. It's the golden rule of the leisure and hospitality trades, and a key to success for professional sports venues. Helo has decades of experience in supplying the genuine sauna and steam experience to professional industries.

With our line of professional electric heaters, we can help you create an inviting, relaxing environment that adds real value and generates positive word of mouth and returns for your facility.

And you can always count on dependable advice for finding the exact right heater solution to your professional sauna needs.

## ■ LAAVA

### Built to last

The freestanding Laava heater is designed for large, commercial sauna rooms. Laava heaters are robust, easy to maintain and their 60 kg of stones create an attractively soothing sauna climate.

Laava's separate control unit makes instant regulation of the heater's high capabilities very easy. It can be controlled with Digi I or Digi II with contactor box WE 4 or T2 with contactor box WE 14.

If you prefer, you can also choose from a selection of easy-to-use analogue control units for your Laava heater:  
OK 33 PS-3 or OK 33 PUi with week timer EK 5 P.



**QUICK FACTS** | POWER: 9.0 - 15.0 kW | SAUNA SIZE: 8 - 24 m<sup>3</sup> | STONES: 60 kg | W540 x H715 x D500 mm

---

## ■ MAGMA

### Sized to suit your needs

Magma is specially engineered for larger commercial saunas that require durable, powerful and cost-efficient heaters —without compromising on the rich steam and soothing sauna atmosphere.

Available in a variety of models to suit different business needs, Magma heaters also offer a choice of traditional and digital control systems. All Magma heaters accommodate 120 kg of rocks, ensuring a genuinely ideal sauna climate for guests.

Magma's separate control unit makes instant regulation of the heater's high capabilities very easy. It can be controlled with Digi I or Digi II with contactor box WE 5 or T2 with contactor box WE 14.

If you prefer, you can also choose from a selection of easy-to-use analogue control units for your Magma heater:  
OT 22 PS-3/WE 1 or OT 22 PUi/WE 1 with week timer EK 5 P.



**QUICK FACTS** | POWER: 18.0 - 26.0 kW | SAUNA SIZE: 18 - 46 m<sup>3</sup> | STONES: 120 kg | W900 x H715 x D520 mm



# ■ SKLE

## Setting the standard

SKLE and its sister model SKLA have been an industry standard for more than 25 years and are suitable for saunas sized from 8 – 46 m<sup>3</sup>.

Designed for commercial sauna rooms, Helo SKLE heaters are robust, easy to maintain and their 60 kg of stones create an attractively soothing sauna climate.

This is an exceptional choice for public saunas, and offers a pleasant bathing experience.

Helo SKLE is used with separate control panel. Laava's separate control unit makes instant regulation of the heater's high capabilities very easy. It can be controlled with Digi I or Digi II with contactor box WE 4 or T2 with contactor box WE 14.

If you prefer, you can also choose from a selection of easy-to-use analogue control units for your SKLE heater: OK 33 PS-3 or OK 33 PUi with week timer EK 5 P.



**QUICK FACTS** | POWER: 9.0 - 15.0 kW | SAUNA SIZE: 8 - 24 m<sup>3</sup> | STONES: 60 kg | W510 x H700 x D475 mm

---

# ■ SKLA

## Meet the big sister

Helo SKLA has earned a reputation for reliability and durability over nearly 3 decades. The heater is freestanding and available in a variety of models to suit different business needs.

Helo SKLA is specially engineered for larger commercial saunas that require durable, powerful and cost-efficient heaters — without compromising on the rich steam and soothing sauna atmosphere. The Helo SKLA heaters accommodate 120 kg of rocks, ensuring a genuinely ideal sauna climate for guests.

Helo SKLE is used with separate control panel. Laava's separate control unit makes instant regulation of the heater's high capabilities very easy. It can be controlled with Digi I or Digi II with contactor box WE 4 or T2 with contactor box WE 14.

If you prefer, you can also choose from a selection of easy-to-use analogue control units for your SKLA heater: OT 22 PS-3/WE 1 or OT 22 PUi/WE 1 with week timer EK 5 P.



**QUICK FACTS** | POWER: 18.0 - 26.0 kW | SAUNA SIZE: 18 - 46 m<sup>3</sup> | STONES: 120 kg | W880 x H700 x D510 mm

# ■ OCTA

When flexibility is key

The Octa heater is based on traditional technology. This heater is ideal for saunas of all shapes, and can even be placed in the middle of a sauna. Stately in appearance, Octa heaters are suitable for saunas sized from 8 - 24 m<sup>3</sup>.

Octa heater can be controlled with Digi I or Digi II with contactor box WE 4 or T2 with contactor box WE 14.



**QUICK FACTS** | POWER: 9.0 - 15.0 kW | SAUNA SIZE: 8 - 24 m<sup>3</sup> | STONES: 60 kg | W560 x H760 x D560 mm

---

# ■ SEIDANKIVI

The deluxe experience

Seidankivi is the ideal choice for exclusive commercial or club saunas. Featuring state-of-art technology and features behind its stylish soap stone cover, Seidankivi fills the sauna with indulgent billows of soft, gentle heat and steam in even waves. A one-of-a-kind experience, Seidankivi will ensure your guests are still talking about the genuine sauna experience you provided long after they've left.

Seidankivi heater can be controlled with Digi I or Digi II with contactor box WE 4.



**QUICK FACTS** | POWER: 9.0 - 15.0 kW | SAUNA SIZE: 8 - 24 m<sup>3</sup> | STONES: 60 kg | W630 x H850 x D630 mm

# ■ SAGA ELECTRO

## Pleasure and performance

Helo Saga Electro is a spectacular new heater for large domestic saunas or for commercial use in hotels, health clubs, wellness centres and spas. The Saga Electro heaters are suitable for saunas with a capacity of 16 – 50 m<sup>3</sup>.

The stylish steel casing holds an impressive 200 kg of sauna stones that radiate rich smooth heat in every direction. Due to the massive amount of stones and the open design the heater creates an incredibly enjoyable steam experience at a comfortable sauna temperature. Inspiring for interior design, Saga Electro is an eye-catcher from any angle. It creates a mesmerising centrepiece for your sauna interior or you can even place the freestanding heater next to a glass wall.



**QUICK FACTS** | POWER: 16.0 - 24.0 kW | SAUNA SIZE: 16 - 50 m<sup>3</sup> | STONES: 200 kg | W605 x H850 x D605 mm

# control units


Managing the temperature, timing and comfort features of your sauna should be as relaxing as the bath itself. Depending on the option you choose, HELO sauna control units make it easy to regulate the climate, pre-heat the cabin so it's ready when you are or just soften the lights — all with a few simple taps on the touchpad.

---

## ■ T1 & T2

These new control panels are designed to control the heater or steam bath. They are equipped with touch-control and shows temperature and time in operating mode. They are also equipped with a switch for lighting, easy control the temperature, switch between Fahrenheit/Celsius, 12 h/24 h format, multiple language and other more advanced settings and testing possibility. T2 is basically the same control as T1, but has additional functions as the ability to pre-program the heating of your sauna up to 23 hours ahead. Size: 80 x 140 x 22 (wxhxd)

**COMPATIBLE WITH HEATERS:** T1: ROXX, CAVA, ROCHER AND FONDA (DET-MODELS ONLY).  
T2: LAAVA, MAGMA, SKLE, SKLA, OCTA AND FONDA DUO



---

## ■ EC 50

The EC50 control panel makes it simple and economical to have complete control of your sauna. The panel blends discretely and elegantly into your bathroom with its clean and essential design. It has an easy-to-read display for convenient control of the startup time, temperature and lighting. The panel can be set for 0-3 hours of heating time. You can also set a countdown between 0-10 hours for the heater to start. The panel incorporates a child-proof code lock to prevent accidental operation. The EC50 with its practical features is a smart choice for anyone who wants precise control of their sauna – at an affordable price. Size: 180 x 115 x 25 (wxhxd)

**COMPATIBLE WITH HEATERS:** ROXX, CAVA, ROCHER AND FONDA (DET-MODELS ONLY).





## ■ EASY

Helo Easy is the latest innovation in sauna control units. The fixed heating time is max. 6 hours with 5-step “+” and “-” temperature adjustment. Helo Easy can be flush or surface mounted outside the sauna room and can be used with a low voltage connection for sauna heaters such as Cava and Pikkutonttu. Size 70 x 70 x 30 mm (wxhxd), delivery includes 3 different frames.



**COMPATIBLE WITH HEATERS:** ROXX, CAVA, ROCHER AND PIKKUTONTTU (DE-MODELS ONLY).

## ■ MIDI

The Helo Midi control unit offers the extra convenience of being installed inside the sauna room\*. Preset time is 0 – 23 hours and heating time 0 – 6 hours. You can control the temperature and the display shows you both the set temperature and the actual temperature. The sauna light can also be operated via Helo Midi. Helo Midi is available in 2 different frame colours: white and chrome.



**COMPATIBLE WITH HEATERS:** ROXX, CAVA, ROCHER AND PIKKUTONTTU (DE-MODELS ONLY).

## ■ DIGI I

Digi I is a simple but smart solution that gives you most basic comfort functions at the touch of a button. Digi I lets you preheat your sauna anytime within a 24 hour period, ensuring a relaxing and refreshing climate is ready when you are without having to wait. The digital touch pad is also your control for temperature, lighting and the fan. Digi I is designed for wall or flush mounting outside the sauna. Size: 138 x 173 x 34 (wxhxd)



**COMPATIBLE WITH HEATERS:** ROXX, CAVA, ROCHER AND PIKKUTONTTU (DE-MODELS ONLY).  
SKLE - with WE 4, SKLA - with WE 5, OCTA - with WE 4, LAAVA - with WE 4, SEIDANKIVI - with WE 4, MAGMA - with WE 5.

## ■ DIGI II

With preheating timings from 0 – 24 hours, set heating time of 0 – 6 hours, and one-touch preset bathing programmes, Digi II gives you maximum flexibility in managing comfort. You'll also find keys for temperature adjustment, light and fan operation, and the high-visibility LCD display provides information in your choice 5 languages (Finnish, Swedish, English, German and Dutch). Flush or surface mounted outside the sauna, Helo Digi II has a total size of 138 x 173 x 34 mm (wxhxd).



**COMPATIBLE WITH HEATERS:** ROXX, CAVA, ROCHER AND PIKKUTONTTU (DE-MODELS ONLY).  
SKLE - with WE 4, SKLA - with WE 5, OCTA - with WE 4, LAAVA - with WE 4, SEIDANKIVI - with WE 4, MAGMA - with WE 5.







Model	Power, kW	Sauna size, m <sup>3</sup>	Dimensions, W x H x D, mm	Stones, kg	Mounting	Safety distances, mm				
						Sides	Front	Behind	Ceiling	Floor

## FONDA

FONDA DET/ST 4.4	4.4	4 - 6	448 x 665 x 364	20	Wall/floor	50	50		1135	100
FONDA DET/ST 6.6	6.6	5 - 9	448 x 665 x 364	20	Wall/floor	50	50		1135	100
FONDA DET/ST 8.0	8.0	8 - 12	448 x 665 x 364	20	Wall/floor	50	50		1135	100

**EXTRAS:** Legs are available by separate order.

**CONTROLS:** Fonda DET uses the T1 and EC50 control units. Fonda ST has an integrated control panel.

## FONDA DUO

FONDA DUO 4.4	4.4	4 - 6	448 x 665 x 364	20	Wall/floor	50	50		1135	100
FONDA DUO 6.6	6.6	5 - 9	448 x 665 x 364	20	Wall/floor	50	50		1135	100
FONDA DUO 8.0	8.0	8 - 12	448 x 665 x 364	20	Wall/floor	50	50		1135	100

**EXTRAS:** Legs are available by separate order.

**CONTROLS:** T2

## CAVA

CAVA 6 DE/DET	6.0	5 - 10	490 x 830 x 280	30 + 15	Floor/bench	100	300		1070	
CAVA 9 DE/DET	9.0	9 - 13	490 x 830 x 280	30 + 15	Floor/bench	100	350		1070	

**EXTRAS:** Soap stone collar.

**CONTROLS:** Model DE: Easy, Midi, Digi I and Digi II. Model DET: T1 and EC50.

## FUSION

FUSION 60	6.0	5 - 9	415 x 790 x 415	23	Floor/bench	70	100		1150	
FUSION 80	8.0	8 - 12	415 x 790 x 415	23	Floor/bench	100	150		1150	
FUSION 90	9.0	9 - 13	415 x 790 x 415	23	Floor/bench	100	150		1150	

**EXTRAS:** Kit for auto-filling of the tank.

**CONTROLS:** Included with the heater.

## SAUNATONTTU

SAUNATONTTU 3	3.4	3 - 8	500 x 1090 x 500	100	Floor/bench	30	30		800	
SAUNATONTTU 4	4.8	5 - 11	500 x 1090 x 500	100	Floor/bench	30	30		800	
SAUNATONTTU 6	6.4	7 - 14	500 x 1090 x 500	100	Floor/bench	30	30		800	
SAUNATONTTU 8	8.0	9 - 17	500 x 1090 x 500	100	Floor/bench	30	30		800	

**CONTROLS:** Included with the heater.

## RONDO

RONDO 450	4.5	5 - 8	500 x 860 x 500	90	Floor/bench	10	10	10	1040	
RONDO 650	6.5	7 - 13	500 x 860 x 500	90	Floor/bench	10	10	10	1040	
RONDO 960	9.6	10 - 18	500 x 860 x 500	90	Floor/bench	10	10	10	1040	

**CONTROLS:** Included with the heater.

## TAIKA

TAIKA 80	8.0	8 - 13	680 x 770 x 680	65	Floor	30	30	30	1130	
TAIKA 100	9.9	9 - 15	680 x 770 x 680	65	Floor	30	30	30	1130	
TAIKA 120	12.0	10 - 18	680 x 770 x 680	65	Floor	30	30	30	1130	

**CONTROLS:** Smart with WE 11 contactor box.



Model	Power, kW	Sauna size, m <sup>3</sup>	Dimensions, W x H x D, mm	Stones, kg	Mounting	Safety distances, mm				
						Sides	Front	Behind	Ceiling	Floor

## ROCHER

ROCHER 70 D/DE/DET	6.8	5 - 9	425 x 1130 x 425	100	Floor/bench	60	60	60	770	
ROCHER 105 D/DE/DET	10.5	9 - 15	425 x 1130 x 425	100	Floor/bench	60	60	60	770	

**EXTRAS:** Soap stone collar, glass collar (satin) and chrome collar.

**CONTROLS:** Models D/DE: Easy, Midi, Digi I, Digi II. Model DET: T1, EC50.

## PIKKUTONTTU

PIKKUTONTTU 45 DE	4.5	3 - 6	460 x 990 x 460	80	Floor/bench	40	40		900	
PIKKUTONTTU 65 DE	6.5	5 - 10	460 x 990 x 460	80	Floor/bench	150	150		900	
PIKKUTONTTU 90 DE	9.0	9 - 14	460 x 990 x 460	80	Floor/bench	150	150		900	

**CONTROLS:** Easy, Midi, Digi I, Digi II.

## HIMALAYA

HIMALAYA 70 DES	6.8	5 - 9	330 x 1020 x 330	100	Floor/bench	80	80	80	880	
HIMALAYA 105 DES	10.5	9 - 15	330 x 1020 x 330	100	Floor/bench	80	80	80	880	

**CONTROLS:** Trend.

## RING WALL

RING WALL 45 D/STJ	4.5	4 - 6	445 x 525 x 335	37	Wall	50	50		1200	120
RING WALL 60 D/STJ	6.0	5 - 9	445 x 525 x 335	37	Wall	70	70		1250	120
RING WALL 80 D/STJ	8.0	8 - 13	445 x 525 x 335	37	Wall	100	100		1250	120

**CONTROLS:** Models D: Easy, Midi, Digi I or Digi II with separate contactor box. Models ST: built-in control.

## ROXX

ROXX 6 DE/DET	6.0	5 - 10	490 x 830 x 280	38	Floor/bench	100	300		1070	
ROXX 9 DE/DET	9.0	9 - 13	490 x 830 x 280	38	Floor/bench	100	350		1070	

**EXTRAS:** Soap stone collar.

**CONTROLS:** Model DE: Easy, Midi, Digi I and Digi II. Model DET: T1.

## RINGO

RINGO 60 STJ	6.0	5 - 9	365 x 750 x 365	70	Floor/bench	100	100	100	1150	
RINGO 80 STJ	8.0	8 - 13	365 x 750 x 365	70	Floor/bench	100	100	100	1150	
RINGO VARIO 60 STJ	6.0	5 - 9	405 x 750 x 405	70	Floor/bench	100/30*	100/30*	100/30*	1150	
RINGO VARIO 80 STJ	8.0	8 - 13	405 x 750 x 405	70	Floor/bench	100/30*	100/30*	100/30*	1150	
RINGO ROBUST 60 STJ	6.0	5 - 9	397 x 755 x 397	70	Floor/bench	100	100	100	1150	
RINGO ROBUST 80 STJ	8.0	8 - 13	397 x 755 x 397	70	Floor/bench	100	100	100	1150	

**CONTROLS:** Built-in control.

\* 30 mm where covered with panel

## HAVANNA

HAVANNA 45 STS	4.5	3 - 6	475 x 580 x 300	20/28	Wall/floor	40	80		1100	120
HAVANNA 60 STS	6.0	5 - 9	475 x 580 x 300	20/28/35	Wall/floor	45	100		1100	120
HAVANNA 80 STS	8.0	8 - 12	475 x 580 x 300	20/28/35	Wall/floor	75	130		1100	150
HAVANNA 90 STS	9.0	9 - 13	475 x 580 x 300	20/28/35	Wall/floor	80	150		1100	150

**EXTRAS:** Floor stand, dust collector.

**CONTROLS:** Built-in control.

Model	Power, kW	Sauna size, m <sup>3</sup>	Dimensions, W x H x D, mm	Stones, kg	Mounting	Safety distances, mm				
						Sides	Front	Behind	Ceiling	Floor

## MINI SA

MINI SA 30 T	3.0	2 - 4	370 x 370 x 200	10	Wall	30	60		1250	120
--------------	-----	-------	-----------------	----	------	----	----	---	------	-----





**CONTROLS:** Built-in control.

## JUNIOR

JUNIOR 30	3.0	2 - 4	290 x 630 x 200	10	Wall	50	120		1200	120
-----------	-----	-------	-----------------	----	------	----	-----	---	------	-----




**CONTROLS:** Built-in control.

## CUP

CUP 45 D/STJ	4.5	3 - 6	410 x 580 x 280	15	Wall	50	80		1200	120
CUP 60 D/STJ	6.0	5 - 9	410 x 580 x 280	23	Wall	70	100		1250	120
CUP 80 D/STJ	8.0	8 - 13	410 x 580 x 300	23	Wall	100	150		1250	120
CUP 90 D/STJ	9.0	9 - 14	410 x 580 x 300	23	Wall	100	200		1250	120





**CONTROLS:** Models D: OT 2 PS-1 (1-phase), OT 2 PS-3 (3-phase) and OT 2 PLE. Models STJ: built-in control.

## VIENNA

VIENNA 45 STS	4.5	3 - 6	410 x 615 x 280	12	Wall	40	60		1200	110
VIENNA 60 STS	6.0	5 - 9	410 x 615 x 280	12 / 20	Wall	60	80		1200	110
VIENNA 80 STS	8.0	8 - 12	410 x 615 x 280	20	Wall	80	100		1200	110

**CONTROLS:** Built-in control.




## SOFTHOT

SKSO 45 D/ST	4.5	3 - 6	475 x 590 x 300	20 - 28	Wall/floor	40	80		1100	120
SKSO 60 D/ST	6.0	5 - 9	475 x 590 x 300	20 - 35	Wall/floor	45	100		1100	120
SKSO 80 D/ST	8.0	8 - 12	475 x 590 x 300	20 - 35	Wall/floor	75	130		1100	150
SKSO 90 D/ST	9.0	9 - 13	475 x 590 x 300	20 - 35	Wall/floor	80	150		1100	150

**EXTRAS:** Floor stand, dust collector.

**CONTROLS:** Models D: OT 2 PS-3 and OT 2 PLE. Models ST: built-in control.

## KLIMA VITA

KLIMA VITA 60	6.0	5 - 9	425 x 595 x 375	23	Wall	60	100		1100	180
KLIMA VITA 80	8.0	7 - 12	425 x 595 x 375	23	Wall	120	180		1100	180
KLIMA VITA 90	9.0	8 - 13	425 x 595 x 375	23	Wall	120	180		1100	180

**CONTROLS:** OT 2 PLD.

Model	Power, kW	Sauna size, m <sup>3</sup>	Dimensions, W x H x D, mm	Stones, kg	Mounting	Safety distances, mm				
						Sides	Front	Behind	Ceiling	Floor

## LAAVA

LAAVA 901	9.0	8 - 13	540 x 715 x 500	60	Floor	80	80	110	1200	
LAAVA 1051	10.5	9 - 15	540 x 715 x 500	60	Floor	80	80	110	1200	
LAAVA 1201	12.0	10 - 18	540 x 715 x 500	60	Floor	120	120	120	1400	
LAAVA 1501	15.0	14 - 24	540 x 715 x 500	60	Floor	120	120	120	1400	

**CONTROLS:** Digi I or Digi II with contactor box WE 4. T2 with contactor box WE 14. OK 33 PS-3 or OK 33 PUi with week timer EK 5 P.

## MAGMA

MAGMA 181	18.0	18 - 30	900 x 715 x 520	120	Floor	140	160	160	1400	
MAGMA 210	21.0	24 - 36	900 x 715 x 520	120	Floor	140	160	160	1400	
MAGMA 260	26.0	30 - 46	900 x 715 x 520	120	Floor	140	160	160	1500	

**CONTROLS:** Digi I or Digi II with contactor box WE 5. T2 with contactor box WE 14. OT 22 PS-3 or OT 22 PUi with contactor box WE 1. Week timer EK 5 P can be used with OT 22 PUi and contactor box WE 1.

## SKLE

SKLE 90	9.0	8 - 13	510 x 700 x 475	60	Floor	80	80	110	1200	
SKLE 105	10.5	9 - 15	510 x 700 x 475	60	Floor	80	80	110	1200	
SKLE 120	12.0	10 - 18	510 x 700 x 475	60	Floor	120	120	120	1400	
SKLE 150	15.0	14 - 24	510 x 700 x 475	60	Floor	120	120	120	1400	

**CONTROLS:** Digi I or Digi II with contactor box WE 4. T2 with contactor box WE 14. OK 33 PS-3 or OK 33 PUi with week timer EK 5 P.

## SKLA

SKLA 181	18.0	18 - 30	880 x 700 x 510	120	Floor	140	160	160	1400	
SKLA 210	21.0	24 - 36	880 x 700 x 510	120	Floor	140	160	160	1400	
SKLA 260	26.0	30 - 46	880 x 700 x 510	120	Floor	140	160	160	1500	
SKLA 262	26.0	30 - 46	880 x 700 x 510	120	Floor	140	160	160	1500	

**CONTROLS:** OT 22 PS-3 or OT 22 PUi with contactor box WE 1. Week timer EK 5 P can be used with OT 22 PUi and contactor box WE 1. T2 with contactor box WE 14.

## OCTA

OCTA 901	9.0	8 - 13	560 x 760 x 560	60	Floor	25	25	35	1150	
OCTA 1051	10.5	9 - 15	560 x 760 x 560	60	Floor	25	25	35	1150	
OCTA 1201	12.0	10 - 18	560 x 760 x 560	60	Floor	65	65	75	1350	
OCTA 1501	15.0	14 - 24	560 x 760 x 560	60	Floor	65	65	75	1350	

**CONTROLS:** Digi I or Digi II with contactor box WE 4, T2 with contactor box WE 14.

## SEIDANKIVI

SEITA 901	9.0	8 - 13	630 x 810 x 630	60	Floor	40	40	40	1090	
SEITA 1051	10.5	9 - 15	630 x 810 x 630	60	Floor	40	40	40	1090	
SEITA 1201	12.0	10 - 18	630 x 810 x 630	60	Floor	40	65	40	1290	
SEITA 1501	15.0	14 - 24	630 x 810 x 630	60	Floor	40	65	40	1290	

**CONTROLS:** Digi I or Digi II with contactor box WE 4.

## SAGA ELECTRO

SAGA E 160 D	16.0	16 - 30	605 x 850 x 605	200	Floor	100	100	100	1250	
SAGA E 200 D	20.0	20 - 40	605 x 850 x 605	200	Floor	100	100	100	1250	
SAGA E 240 D	24.0	24 - 50	605 x 850 x 605	200	Floor	150	150	150	1250	

**CONTROLS:** T2 with contactor box WE 14.



Helo dealers

**Finnleo Sauna & Steam**  
**55 Mills Road**  
**Braeside Vic 3195**

**Phone: (03) 9587 4494 or 0418 396 042**  
**Web: [www.finnleo.com.au](http://www.finnleo.com.au)**  
**Email: [info@finnleo.com.au](mailto:info@finnleo.com.au)**